

Intertek SAI Global hereby grants:

Ampac Pty Ltd

ABN 81 634 063 200

7 Ledger Road, Balcatta, Perth, WA 6021, Australia

StandardsMark Licence

Manufactured to:

AS 7240.5:2004 - Fire detection and alarm systems - Point type heat detectors (ISO7240-5:2003, MOD)
& AS 7240.7:2004 - Fire detection and alarm systems - Point-type smoke detectors using scattered light, transmitted light or ionization (ISO 7240-7:2003, MOD)
& AS 7240.11:2008 - Fire detection and alarm systems - Manual call points (ISO 7240-11:2005, MOD)
& AS 7240.15:2004 - Fire detection and alarm systems - Multisensor fire detectors (ISO7240-15:2004,MOD)
& AS ISO 7240.23:2014 - Fire detection and alarm systems - Visual alarm devices
& AS ISO 7240.3:2014 - Fire detection and alarm systems - Audible alarm devices
& AS ISO 7240.17:2015 Fire detection and fire alarm systems - Short-circuit isolators
& AS ISO 7240.18:2015 Fire detection and alarm systems - Input/output devices
& AS ISO 7240.25:2015 : Fire detection and fire alarm systems - Components using radio transmission paths
& AS ISO 7240.18:2018 Fire detection and alarm systems - Input/output devices
& AS ISO 7240.5:2018 - Fire Detection and Alarm Systems Point-type heat detectors
& AS ISO 7240.3:2021 - Fire detection and alarm systems - Audible alarm devices
& AS 7240.7:2018 - Fire Detection and Alarm Systems - Point-Type Smoke Detectors Using Scattered Light, Transmitted Light or Ionization (ISO 7240-7:2018, MOD)
& AS ISO 7240.11:2018 - Fire Detection and Alarm System – Manual Call Points
& AS ISO 7240.17:2021 - Fire Detection and Alarm System Part 17 – Short Circuit Isolators

"the StandardsMark Licensee" the right to use the STANDARDMARK as shown below only in respect of the goods described and detailed in the Schedule which are produced by the Licensee or on behalf of the Licensee* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the STANDARDMARK and the Terms and Conditions for certification and licence. The Licensee covenants to comply with all the Rules and Terms and Conditions.

Certificate No:
SMK40168

Originally Certified:
25 February 2014

Current Certification:
30 October 2025

Issued:
31 October 2025

Expires:
24 February 2029



Rathin Grover

President, Business Assurance

SAI Global Certification Services Pty. Ltd.
Level 7 Suite 7.01 45 Clarence Street
Sydney NSW 2000 Australia

* For details of manufacture, refer to the licensee

The STANDARDMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARD MARK LICENCE

Intertek SAI Global hereby grants:

Ampac Pty Ltd

7 Ledger Road, Balcatta, Perth, WA 6021, Australia

Manufactured to:

AS 7240.5-2004 - Fire detection and alarm systems - Point type heat detectors (ISO7240-5:2003, MOD)

Model identification of the goods on which the STANDARD MARK may be used:

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
Discovery	4106-2007	addressable	CS	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
Discovery	4106-2007	addressable	A2R	FireFinder, LoopSense and FireFinder PLUS	201-0004	9 Nov 2020
Discovery	4106-2007	addressable	CR	FireFinder, LoopSense and FireFinder PLUS	201-0004	9 Nov 2020
Discovery	4106-2007	addressable	A2S	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
Discovery	4106-2007	addressable	A1R	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
Discovery	4106-2007	addressable	CR	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
Discovery	4106-2009	addressable Heat and CO Multisensor	A1R	FireFinder, LoopSense and FireFinder PLUS	201-0004	6 Jun 2014
DS	55000-465AMP	addressable	A2S	FireFinder, LoopSense and FireFinder PLUS	45681-200AMP & 4106-1008	24 Aug 2015
DS	55000-475AMP	addressable	CS	FireFinder, LoopSense and FireFinder PLUS	45681-200AMP & 4106-1008	24 Aug 2015
Orbis	4106-1053	conventional	A1R	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Orbis	4106-1054	conventional	A2S	ZoneSense	201-0545,	20 Feb 2014

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARD MARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
				(PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0544, 201-0543	
Orbis	4106-1055	conventional	BR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Orbis	4106-1056	conventional	BS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Orbis	4106-1057	conventional	CR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Orbis	4106-1058	conventional	CS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Orbis	4106-1061	conventional with flashing LED	A1R	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	6 Jun 2014
Orbis	4106-1062	conventional with flashing LED	A2S	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	6 Jun 2014
Orbis	4106-1063	conventional with flashing LED	BR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	6 Jun 2014
Orbis	4106-1064	conventional with flashing LED	BS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	6 Jun 2014
Orbis	4106-1065	conventional with flashing LED	CR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	6 Jun 2014
Orbis	4106-1066	conventional with flashing LED	CS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	6 Jun 2014
Series 65	4106-1004	conventional	A1R	ZoneSense	4106-1008	20 Feb 2014

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
				(PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	to 4106- 1012	
Series 65	4106-1005	conventional	BR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106- 1012	20 Feb 2014
Series 65	4106-1006	conventional	CR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106- 1012	20 Feb 2014
Series 65	4106-1007	conventional	CS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106- 1012	6 Jun 2014
Soteria	4106-2103	addressable	A1R	FireFinder, LoopSense and FireFinder PLUS	4106-2100	5 Feb 2016
Soteria	4106-2104	addressable	A1R	FireFinder, LoopSense and FireFinder PLUS	4106-2100	5 Feb 2016
XP95	4106-2003	addressable	A2S	FireFinder, LoopSense and FireFinder PLUS	201-0004	6 Apr 2019
XP95	4106-2003	addressable	CS	FireFinder, LoopSense and FireFinder PLUS	201-0004	6 Apr 2019
Xpander	4106-5201	addressable	A1R	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator XPander 915MHz Diversity Interface Module with Isolator	4106-5100	13 Jun 2014
Xpander	4106-5202	addressable	CS	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator	4106-5100	13 Jun 2014

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

AS 7240.7-2004 - Fire detection and alarm systems - Point-type smoke detectors using scattered light, transmitted light or ionization (ISO 7240-7:2003, MOD)

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
Discovery	4106-2006	Addressable	Ionisation	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
Discovery	4106-2005	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
DS	55000-665AMP	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	45681-200AMP & 4106-1008	24 Aug 2015
Orbis	4106-1051	Conventional	Optical	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Orbis	4106-1059	Conventional	Optical	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Series 65	4106-1003	Conventional	Ionisation	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	20 Feb 2014
Series 65	4106-1002	Conventional	Ionisation	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	20 Feb 2014
Series 65	4106-1001	Conventional	Optical	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	20 Feb 2014
Soteria	4106-2102	addressable, short circuit isolator	Optical	FireFinder, LoopSense and FireFinder PLUS	SA5000-200	5 Feb 2016
Soteria	4106-2101	addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	SA5000-200	5 Feb 2016
Soteria	4106-2109	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	4106-2108	9 Oct 2018
Soteria	4106-2107	Addressable	Optical	FireFinder, LoopSense and FireFinder	4106-2108	9 Oct 2018

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
				PLUS		
XP95	4106-2001	Addressable	Optical	LoopSense, FireFinder and FireFinder PLUS	201-0004	6 Apr 2019
XP95	4106-2010	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	201-0093	6 Apr 2019
XP95	4106-2011	Addressable	Ionisation	LoopSense, FireFinder and FireFinder PLUS	201-0093	20 Feb 2014
XP95	4106-2002	Addressable	Ionisation	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
Xpander	4106-5204	Addressable Multisensor	Optical+Heat	FireFinder, LoopSense FireFinder PLUS via Xpander 915MHz Diversity Interface Module with Isolator	4106-5100	6 Jun 2014
Xpander	4106-5203	Addressable	Optical	FireFinder, LoopSense FireFinder PLUS via Xpander 915MHz Diversity Interface Module with Isolator	4106-5100	6 Jun 2014

AS 7240.11-2008 - Fire detection and alarm systems - Manual call points (ISO 7240-11:2005, MOD)

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Indoor/Outdoor	Date Endorsed
intelligent manual call point	4105-2005	addressable with isolator	A	FireFinder, LoopSense FireFinder PLUS	Indoor	2 Nov 2017
Manual Call Point	4105-1001	conventional	A	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	Indoor	20 Feb 2014
Waterproof Manual Call Point	4105-1002	conventional	A	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	Outdoor	20 Feb 2014
Waterproof Manual Call	4105-2002	addressable with isolator	A	FireFinder, LoopSense and	Outdoor	6 Jun 2014

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Indoor/Outdoor	Date Endorsed
Point				FireFinder PLUS		
XP95 Manual Call Point	4105-2001	addressable with isolator	A	FireFinder, LoopSense and FireFinder PLUS	Indoor	6 Jun 2014
Xpander Manual Call Point	4105-5001	addressable with isolator	A	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator	Indoor	6 Jun 2014

AS 7240.15-2004 - Fire detection and alarm systems - Multisensor fire detectors (ISO7240-15:2004,MOD)

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
Discovery	4106-2008	addressable	Smoke & Heat	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014
Orbis	4106-1052	conventional	Smoke & Heat	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	20 Feb 2014
Orbis	4106-1060	conventional with flashing LED	Smoke & Heat	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	6 Jun 2014
Soteria	4106-2105	Addressable	Smoke & Heat	ZoneSense (PLUS), ZoneFinder,	4106-2100	5 Feb 2016
Soteria	4106-2106	Addressable	Smoke & Heat	ZoneSense (PLUS), ZoneFinder,	4106-2100	5 Feb 2016
Soteria	4106-2110	Addressable	Smoke & Heat	ZoneSense (PLUS), ZoneFinder,	4106-2100	16 Oct 2024
XP95	4106-2004	addressable	Smoke & Heat	FireFinder, LoopSense and FireFinder PLUS	201-0004	20 Feb 2014

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

AS ISO 7240.23:2014 - Fire detection and alarm systems - Visual alarm devices

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Device Class	Addressable / Conventional	Environmental Type	Description	Useable Panel	Date Endorsed
XP95	4107-2001	C -3-8.5	Addressable	Type A	XP95 VAD Cat C 8M White Body	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017
XP95	4107-2002	C -3-8.5	Addressable	Type A	XP95 VAD Cat C 8M Red Body	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017
XP95	4107-2003	C(3-15)	Addressable	Type A	XP95 VAD Cat C 15M White Body	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017
XP95	4107-2004	C(3-15)	Addressable	Type A	XP95 VAD Cat C 15M Red Body	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017
XP95	4107-2005	W 2.4-6	Addressable	Type A	XP95 VAD Cat W Red Body	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017
XP95	4107-2006	W 2.4-6	Addressable	Type A	XP95 VAD Cat W White Body	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017
XP95	4107-2007	O	Addressable	Type A	XP95 Base VAD Cat O	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017
XP95	4107-2008	C-3-8	Addressable	Type A	XP95 VAD Red Flash C-3-8 White Body. Compatible with base 201-0004 or isolating base 201-0125.	FireFinder, LoopSense and FireFinder PLUS	6 Feb 2023
XP95	4107-2009	C-3-8	Addressable	Type A	XP95 VAD Red Flash C-3-8 Red Body. Compatible with base 201-0004 or isolating base 201-0125.	FireFinder, LoopSense and FireFinder PLUS	6 Feb 2023
XP95	4107-2010	W-2.4-6	Addressable	Type A	XP95 VAD Red Flash W-2.4-6 White Body. Compatible with base 201-0004 or isolating base 201-0125.	FireFinder, LoopSense and FireFinder PLUS	6 Feb 2023
XP95	4107-2011	W-2.4-6	Addressable	Type A	XP95 VAD Red Flash W-2.4-6 Red Body. Compatible with base 201-0004 or isolating base 201-0125.	FireFinder, LoopSense and FireFinder PLUS	6 Feb 2023
XP95	4107-6002	O	Addressable	Type A	XP95 Base Sounder VAD Cat O	FireFinder, LoopSense and FireFinder PLUS	16 Aug 2017

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

AS ISO 7240.3:2014 -Fire detection and alarm systems - Audible alarm devices

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID	Addressable / Conventional	Description	Environmental Type	Rated Voltage (AC/DC)	IP rating	SPL Max	Date Endorsed
XP95	4107-4001	addressable base	Integrated Base sounder	Type A	17 to 28 VDC	21D	86db High volume and 72 db Low volume	23 Aug 2017
XP95	4107-4002	addressable	XP95 Open-Area Sounder Red Body	Type B	17 to 28 VDC	IP 65	95db High volume and 88 db Low volume	9 Oct 2017
XP95	4107-4003	addressable	XP95 Open-Area Sounder White Body	Type B	17 to 28 VDC	IP 65	95db High volume and 88 db Low volume	9 Oct 2017
XP95	4107-6001	addressable	XP95 Addressable Base Sounder VID Beacon with Isolator	Type A	17 to 28 VDC	21D	87db High volume and 72 db Low volume	9 Oct 2017
XP95	4107-6002	addressable	XP95 Base Sounder VAD Cat O	Type A	17 to 28 VDC	21C	88db High volume and 73 db Low volume	9 Oct 2017
XP95	4107-6003	addressable	XP95 Open-Area Sounder VID Beacon	Type B	17 to 28 VDC	IP 65	95db High volume and 88 db Low volume	9 Oct 2017

AS ISO 7240.17:2015 Fire detection and fire alarm systems - Short-circuit isolators

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model Id	Addressable / conventional	Type	Useable Panel	Base	Date Endorsed
Detector isolating base	201-0125	Addressable	A	XP95 and Discovery protocol compatible	Built-in	4 Aug 2020
Din rail mount isolator	201-0145	Addressable	A	XP95 and Discovery protocol compatible	Built-in	4 Aug 2020
Intelligent manual call point	4105-2005	Addressable	A	XP95 compatible	Built-in	12 Feb 2020
Mini Switch Monitor	201-0184	Addressable	A	XP95 compatible	Built-in	3 Feb 2020

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model Id	Addressable / conventional	Type	Useable Panel	Base	Date Endorsed
Soteria	4106-2109	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	4106-2108	14 Feb 2019
Soteria	4106-2107	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	4106-2108	14 Feb 2019
Soteria A1R optical smoke and heat detector - black body	4106-2110	Addressable	A	Soteria Core Protocol compatible	XPERT-8	16 Oct 2024
Soteria DIN Input Output Unit	4110-1102	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	28 Jan 2020
Soteria DIN Switch Monitor Unit	4110-1105	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	28 Jan 2020
Soteria heat detector	4106-2104	Addressable	A	Soteria Core Protocol compatible	XPERT-8	12 Feb 2020
Soteria Input Output unit	4110-1101	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	28 Jan 2020
Soteria Mains Switching Input Output unit	4110-1107	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	28 Jan 2020
Soteria optical detector	4106-2102	Addressable	A	Soteria Core Protocol compatible	XPERT-8	12 Feb 2020
Soteria smoke and heat detector	4106-2106	Addressable	A	Soteria Core Protocol compatible	XPERT-8	12 Feb 2020
Soteria Switch Monitor unit	4110-1104	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	28 Jan 2020
Soteria Twin Input Output unit	4110-1103	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	28 Jan 2020
Soteria Twin Switch Monitor unit	4110-1106	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	28 Jan 2020
Sounder Control Unit	201-0127	Addressable	A	XP95 compatible	Built-in	3 Feb 2020
Waterproof manual call point	4105-2002	Addressable	A	Discovery protocol compatible	Built-in	4 Aug 2020

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model Id	Addressable / conventional	Type	Useable Panel	Base	Date Endorsed
Zone Monitor Unit	201-0126	Addressable	A	XP95 compatible	Built-in	3 Feb 2020

AS ISO 7240.18:2015 Fire detection and alarm systems - Input/output devices

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/ Conventional	Input	Output	Compatible Panel	Date Endorsed
Mini Switch Monitor	201-0184	Addressable,	Yes	No	XP95 protocol compatible	3 Feb 2020
Soteria DIN Input Output Unit	4110-1102	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	28 Jan 2020
Soteria DIN Switch Monitor Unit	4110-1105	Addressable,	Yes	No	XP95, Discovery and Soteria Core Protocol compatible	28 Jan 2020
Soteria Input Output unit	4110-1101	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	28 Jan 2020
Soteria Mains Switching Input Output unit	4110-1107	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	28 Jan 2020
Soteria Switch Monitor unit	4110-1104	Addressable,	Yes	No	XP95, Discovery and Soteria Core Protocol compatible	28 Jan 2020
Soteria Twin Input Output unit	4110-1103	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	28 Jan 2020
Soteria Twin Switch Monitor unit	4110-1106	Addressable,	Yes	No	XP95, Discovery and Soteria Core Protocol compatible	28 Jan 2020
Sounder Control Unit	201-0127	Addressable,	No	Yes	XP95 protocol compatible	3 Feb 2020
Zone Monitor Unit	201-0126	Addressable,	Yes	No	XP95 protocol compatible	3 Feb 2020

AS ISO 7240.25:2015 : Fire detection and fire alarm systems - Components using radio transmission paths

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Frequency of Operation	compatible Panel	Battery Life	Autonomous or loop powered	Comments	Date Endorsed
Combo unit	4111-1301	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Heat A1R and Base Pn4111-1100 & 4106-5201	20 Oct 2020
Combo unit	4111-1302	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Heat CS and Base Pn4111-1100 & 4106-5202	20 Oct 2020

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID.	Frequency of Operation	compatible Panel	Battery Life	Autonomous or loop powered	Comments	Date Endorsed
Combo unit	4111-1303	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Smoke and Base Pn4111-1100 & 4106-5203	20 Oct 2020
Combo unit	4111-1304	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Smoke/Heat and Base Pn4111-1100 & 4106-5204	20 Oct 2020
Combo unit	4111-1401	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Red/Heat A1R and Base Pn4111-1101 & 4106-5201	20 Oct 2020
Combo unit	4111-1402	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Red/Heat CS and Base Pn4111-1101 & 4106-5202	20 Oct 2020
Combo unit	4111-1403	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Red/Smoke and Base Pn4111-1101 & 4106-5203	20 Oct 2020
Combo unit	4111-1404	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Red/Smoke/Heat and Base Pn4111-1101 & 4106-5204	20 Oct 2020
Combo unit	4111-1501	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Clear/Heat A1R and Base Pn4111-1102 & 4106-5201	20 Oct 2020
Combo unit	4111-1502	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Clear/Heat CS and Base Pn4111-1102 & 4106-5202	20 Oct 2020
Combo unit	4111-1503	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Clear/Smoke and Base Pn4111-1102 & 4106-5203	20 Oct 2020
Combo unit	4111-1504	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Sounder/Beacon Clear/Multi and Base Pn4111-1102 & 4106-5204	20 Oct 2020
multisensor	4106-5304	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Multisensor Detector and Base Pn4106-5100 & 4106-5204	20 Oct 2020
Point heat	4106-5301	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Heat A1R Detector and Base Pn4106-5100 & 4106-5201	20 Oct 2020
Point heat	4106-5302	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Heat CS Detector and Base Pn4106-5100 & 4106-5202	20 Oct 2020
Point smoke	4106-5303	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous	Smoke Detector and Base Pn4106-5100 & 4106-5203	20 Oct 2020
Xpander manual call point	4105-5001	915MHz	FireFinder Plus & LoopSense [®]	3 - 5 years	Autonomous		20 Oct 2020

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

AS ISO 7240.18:2018 Fire detection and alarm systems - Input/output devices

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/Conventional	Input	Output	Compatible Panel	Date Endorsed
Mini Switch Monitor	201-0184	Addressable,	Yes	No	XP95 protocol compatible	10 Sep 2025
Soteria DIN Input Output Unit	4110-1102	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	10 Sep 2025
Soteria DIN Switch Monitor Unit	4110-1105	Addressable,	Yes	No	XP95, Discovery and Soteria Core Protocol compatible	10 Sep 2025
Soteria Input Output unit	4110-1101	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	10 Sep 2025
Soteria Mains Switching Input Output unit	4110-1107	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	10 Sep 2025
Soteria Switch Monitor unit	4110-1104	Addressable,	Yes	No	XP95, Discovery and Soteria Core Protocol compatible	10 Sep 2025
Soteria Twin Input Output unit	4110-1103	Addressable,	Yes	Yes	XP95, Discovery and Soteria Core Protocol compatible	10 Sep 2025
Soteria Twin Switch Monitor unit	4110-1106	Addressable,	Yes	No	XP95, Discovery and Soteria Core Protocol compatible	10 Sep 2025
Sounder Control Unit	201-0127	Addressable,	No	Yes	XP95 protocol compatible	10 Sep 2025
Zone Monitor Unit	201-0126	Addressable,	Yes	No	XP95 protocol compatible	10 Sep 2025

AS ISO 7240.5:2018 - Fire Detection and Alarm Systems Point-type heat detectors

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
Discovery	4106-2007	addressable	A2S	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
Discovery	4106-2007	addressable	A1R	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
Discovery	4106-2007	addressable	CS	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
Discovery	4106-	addressable	CR	FireFinder,	201-	10 Sep 2025

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
	2007			LoopSense and FireFinder PLUS	0004	
Discovery	4106-2007	addressable	CR	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
Discovery	4106-2007	addressable	A2R	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
Discovery	4106-2008	Addressable	Smoke & Heat	FireFinder, LoopSense and FireFinder PLUS	4106-2100	22 Sep 2025
Discovery	4106-2009	addressable Heat and CO Multisensor	A1R	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
Orbis	4106-1052	Conventional	Smoke & Heat	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	22 Sep 2025
Orbis	4106-1053	conventional	A1R	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1054	conventional	A2S	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1055	conventional	BR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1056	conventional	BS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1057	conventional	CR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1058	conventional	CS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1060	Conventional	Smoke & Heat	ZoneSense (PLUS), ZoneFinder, LoopSense and	201-0545, 201-0544,	22 Sep 2025

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
				FireFinder (PLUS)	201-0543	
Orbis	4106-1061	conventional with flashing LED	A1R	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1062	conventional with flashing LED	A2S	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1063	conventional with flashing LED	BR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1064	conventional with flashing LED	BS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1065	conventional with flashing LED	CR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1066	conventional with flashing LED	CS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Series 65	4106-1004	conventional	A1R	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	10 Sep 2025
Series 65	4106-1005	conventional	BR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	10 Sep 2025
Series 65	4106-1006	conventional	CR	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	10 Sep 2025
Series 65	4106-1007	conventional	CS	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	10 Sep 2025
Soteria	4106-2104	addressable	A1R	FireFinder, LoopSense and FireFinder PLUS	4106-2100	10 Sep 2025

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Base	Date Endorsed
Soteria	4106-2106	Addressable	Smoke & Heat	ZoneSense (PLUS), ZoneFinder,	4106-2100	22 Sep 2025
Soteria	4106-2110	Addressable	Smoke & Heat	ZoneSense (PLUS), ZoneFinder,	4106-2100	22 Sep 2025
XP95	4106-2003	addressable	A2S	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
XP95	4106-2003	addressable	CS	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
XP95	4106-2004	Addressable	Smoke & Heat	FireFinder, LoopSense and FireFinder PLUS	201-0004	22 Sep 2025
Xpander	4106-5201	addressable	A1R	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator XPander 915MHz Diversity Interface Module with Isolator	4106-5100	10 Sep 2025
Xpander	4106-5202	addressable	CS	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator	4106-5100	10 Sep 2025

AS ISO 7240.3:2021 - Fire detection and alarm systems - Audible alarm devices

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID	Addressable / Conventional	Description	Environmental Type	Rated Voltage (AC/DC)	IP rating	SPL Max	Date Endorsed
Discovery	4107-4005	Addressable	Discovery Base Sounder cw Isolator	Type A	17 - 35 VDC	IP21C	95 dB(A)	29 Oct 2025
Discovery	4107-4006	Addressable	Discovery Base Sounder (Black) cw Isolator	Type A	17 - 35 VDC	IP21C	95 dB(A)	29 Oct 2025
Discovery	4107-6008	Addressable	Discovery Base Sounder VID White Flash cw Isolator	Type A	17 - 35 VDC	IP21C	95 dB(A)	29 Oct 2025
Discovery	4107-6009	Addressable	Discovery Base Sounder VID White Flash	Type A	17 - 35 VDC	IP21C	95 dB(A)	29 Oct 2025

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model ID	Addressable / Conventional	Description	Environmental Type	Rated Voltage (AC/DC)	IP rating	SPL Max	Date Endorsed
			(Black) cw Isolator					
Discovery	4107-6010	Addressable	Discovery Base Sounder VID Red Flash cw Isolator	Type A	17 - 35 VDC	IP21C	95 dB(A)	29 Oct 2025
Discovery	4107-6011	Addressable	Discovery Base Sounder VID Red Flash (Black) cw Isolator	Type A	17 - 35 VDC	IP21C	95 dB(A)	29 Oct 2025
XP95	4107-4001	addressable base	Integrated Base sounder	Type A	17 to 28 VDC	21D	86db High volume and 72 db Low volume	10 Sep 2025
XP95	4107-4002	addressable	XP95 Open-Area Sounder Red Body	Type B	17 to 28 VDC	IP 65	95db High volume and 88 db Low volume	10 Sep 2025
XP95	4107-4003	addressable	XP95 Open-Area Sounder White Body	Type B	17 to 28 VDC	IP 65	95db High volume and 88 db Low volume	10 Sep 2025
XP95	4107-6001	addressable	XP95 Addressable Base Sounder VID Beacon with Isolator	Type A	17 to 28 VDC	21D	87db High volume and 72 db Low volume	10 Sep 2025
XP95	4107-6002	addressable	XP95 Base Sounder VAD Cat O	Type A	17 to 28 VDC	21C	88db High volume and 73 db Low volume	10 Sep 2025
XP95	4107-6003	addressable	XP95 Open-Area Sounder VID Beacon	Type B	17 to 28 VDC	IP 65	95db High volume and 88 db Low volume	10 Sep 2025

AS 7240.7:2018 - Fire Detection and Alarm Systems - Point-Type Smoke Detectors Using Scattered Light, Transmitted Light or Ionization (ISO 7240-7:2018, MOD)

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	SAI Panel Lic #	Base	Date Endorsed
Discovery	4106-2005	Addressable	Optical	Optical	FireFinder, LoopSense and FireFinder PLUS	201-0004	10 Sep 2025
Discovery	4106-2008	Addressable	Smoke & Heat	FireFinder, LoopSense and FireFinder PLUS	-	4106-2100	22 Sep 2025
Orbis	4106-1060	Conventional	Smoke & Heat	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	-	201-0545, 201-0544, 201-0543	22 Sep 2025
Orbis	4106-1052	Conventional	Smoke & Heat	ZoneSense (PLUS),	-	201-0545, 201-0544, 201-0543	22 Sep 2025

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARD MARK LICENCE

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	SAI Panel Lic #	Base	Date Endorsed
				ZoneFinder, LoopSense and FireFinder (PLUS)			
Orbis	4106-1059	Conventional	Optical	Optical	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Orbis	4106-1051	Conventional	Optical	Optical	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	201-0545, 201-0544, 201-0543	10 Sep 2025
Series 65	4106-1001	Conventional	Optical	Optical	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	4106-1008 to 4106-1012	10 Sep 2025
Soteria	4106-2109	Addressable	Optical	Optical	FireFinder, LoopSense and FireFinder PLUS	4106-2108	10 Sep 2025
Soteria	4106-2106	Addressable	Smoke & Heat	ZoneSense (PLUS), ZoneFinder,	-	4106-2100	22 Sep 2025
Soteria	4106-2102	addressable, short circuit isolator	Optical	Optical	FireFinder, LoopSense and FireFinder PLUS	SA5000-200	10 Sep 2025
Soteria	4106-2110	Addressable	Smoke & Heat	ZoneSense (PLUS), ZoneFinder,	-	4106-2100	22 Sep 2025
Soteria	4106-2107	Addressable	Optical	Optical	FireFinder, LoopSense and FireFinder PLUS	4106-2108	10 Sep 2025
XP95	4106-2004	Addressable	Smoke & Heat	FireFinder, LoopSense and FireFinder PLUS	-	201-0004	22 Sep 2025
XP95	4106-2010	Addressable	Optical	Optical	FireFinder, LoopSense and FireFinder PLUS	201-0093	10 Sep 2025
XP95	4106-2001	Addressable	Optical	Optical	LoopSense, FireFinder and FireFinder PLUS	201-0004	10 Sep 2025
Xpander	4106-5203	Addressable	Optical	Optical	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator	4106-5100	10 Sep 2025
Xpander	4106-5204	Addressable Multisensor	Optical+Heat	Optical+Heat	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator	4106-5100	10 Sep 2025

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARD MARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

AS ISO 7240.11:2018 - Fire Detection and Alarm System – Manual Call Points

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model ID.	Addressable/Conventional	Type	Useable Panel	Indoor/Outdoor	Date Endorsed
intelligent manual call point	4105-2005	addressable with isolator	A	FireFinder, LoopSense FireFinder PLUS	Indoor	10 Sep 2025
Waterproof Manual Call Point	4105-1002	conventional	A	ZoneSense (PLUS), ZoneFinder, LoopSense and FireFinder (PLUS)	Outdoor	10 Sep 2025
Waterproof Manual Call Point	4105-2002	addressable with isolator	A	FireFinder, LoopSense and FireFinder PLUS	Outdoor	10 Sep 2025
Xpander Manual Call Point	4105-5001	addressable with isolator	A	FireFinder, LoopSense FireFinder PLUS via XPander 915MHz Diversity Interface Module with Isolator	Indoor	10 Sep 2025

AS ISO 7240.17:2021 - Fire Detection and Alarm System Part 17 – Short Circuit Isolators

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Model Id	Addressable / conventional	Type	Useable Panel	Base	Date Endorsed
Detector isolating base	201-0125	Addressable	A	XP95 and Discovery protocol compatible	Built-in	10 Sep 2025
Din rail mount isolator	201-0145	Addressable	A	XP95 and Discovery protocol compatible	Built-in	10 Sep 2025
Intelligent manual call point	4105-2005	Addressable	A	XP95 compatible	Built-in	10 Sep 2025
Mini Switch Monitor	201-0184	Addressable	A	XP95 compatible	Built-in	10 Sep 2025
Soteria	4106-2107	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	4106-2108	10 Sep 2025
Soteria	4106-2109	Addressable	Optical	FireFinder, LoopSense and FireFinder PLUS	4106-2108	10 Sep 2025
Soteria A1R optical smoke and heat detector - black body	4106-2110	Addressable	A	Soteria Core Protocol compatible	XPERT-8	10 Sep 2025

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Model Name	Model Id	Addressable / conventional	Type	Useable Panel	Base	Date Endorsed
Soteria DIN Input Output Unit	4110-1102	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	10 Sep 2025
Soteria DIN Switch Monitor Unit	4110-1105	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	10 Sep 2025
Soteria heat detector	4106-2104	Addressable	A	Soteria Core Protocol compatible	XPERT-8	10 Sep 2025
Soteria Input Output unit	4110-1101	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	10 Sep 2025
Soteria Mains Switching Input Output unit	4110-1107	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	10 Sep 2025
Soteria optical detector	4106-2102	Addressable	A	Soteria Core Protocol compatible	XPERT-8	10 Sep 2025
Soteria smoke and heat detector	4106-2106	Addressable	A	Soteria Core Protocol compatible	XPERT-8	10 Sep 2025
Soteria Switch Monitor unit	4110-1104	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	10 Sep 2025
Soteria Twin Input Output unit	4110-1103	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	10 Sep 2025
Soteria Twin Switch Monitor unit	4110-1106	Addressable	A	XP95, Discovery and Soteria Core Protocol compatible	Built-in	10 Sep 2025
Sounder Control Unit	201-0127	Addressable	A	XP95 compatible	Built-in	10 Sep 2025
Waterproof manual call point	4105-2002	Addressable	A	Discovery protocol compatible	Built-in	10 Sep 2025
Zone Monitor Unit	201-0126	Addressable	A	XP95 compatible	Built-in	10 Sep 2025

End of Record

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

Certificate No: SMK40168

Issued Date: 31 October 2025

This schedule supersedes all previously issued schedules

*** For details of manufacture, refer to the licensee**

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("INTERTEK SAI Global") Level 7 Suite 7.01 45 Clarence Street Sydney NSW 2000 Australia and subject to the INTERTEK SAI Global Terms and Conditions for Certification. In the issuance of this certificate, INTERTEK SAI Global assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with INTERTEK SAI Global requirements for systems certification. This certificate may only be reproduced in its entirety and remains the property of INTERTEK SAI Global, to whom it must be returned upon request. Refer to <https://register.saiglobal.com/> for the list of product models.

