

## Certificate of Product Approval

Certificate Number: 966c

Issue: 01

### Ampac Pty Ltd

7 Ledger Road,  
Balcatta,  
6021,  
Australia



is certified by BRE Global Ltd. and is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirement(s) of the standards as detailed below:

#### Products

##### Control and Indicating equipment

13U EvacU Elite Cabinet

24U EvacU Elite Cabinet

#### Standards

EN 54-4:1997 + A1:2002 + A2:2006

EN 54-16:2008

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

Signed for BRE Global Ltd

Eman Mattie-Suleiman

Verifier

14 April 2022

Date of Issue

14 April 2022

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 966c

Issue: 01

### Ampac Pty Ltd

Certified Product	Description	LPCB Ref.No.
13U EvacU Elite	<p>Wall Mounted Voice Alarm Control and Indicating Equipment (VACIE)</p> <p>Incorporating the following mandatory modules:</p> <p>BRD63PDB1-A Power Distribution Board</p> <p>BRD63ABB1-A Amplifier Backplane Board</p> <p>BRD63CPU1-A Distribution CPU</p> <p>BRD63GUI1-A Graphical User Interface Primary</p> <p>ASS63CPU-NET EvacU Elite CPU Network incorporating:</p> <p>BRD63NIC1-A Network Interface Card</p> <p>ASS63PSU12M Primary Power Supply incorporating</p> <p>BRD63PCC1-A Power Control Card - Primary</p> <p>RCB-1600-24 Meanwell Power Supply</p> <p>Network SFP Modules</p> <p>OEM3087 IC SFP VDSL Transceiver Module SFP-V5311-L-O "COPPER"</p> <p>OEM3088 IC SFP VDSL Transceiver Module SFP-V5311-L-R "COPPER"</p> <p>Incorporating the following optional modules:</p> <p>BRD63ILC1-A Quad Radial Line Card</p> <p>BRD63LILC1-A Dual Loop Line Card</p> <p>BRD63LPA1-A Dual 25W Amplifier</p> <p>BRD63LPA1-B 50W Amplifier</p> <p>BRD63MIC1-A Multi-Purpose Interface Card</p>	966c/01

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Eman Mattie-Suleiman

Verifier

14 April 2022

Date of Issue

14 April 2022

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.




## Appendix to Certificate No: 966c

Issue: 01

### Ampac Pty Ltd

Certified Product	Description	LPCB Ref.No.
	BRD63MOC1-A Multi-Purpose Output Card	
	BRD63GUI1-B Graphical User Interface Secondary	
	ASS63PSU12S Secondary Power Supply incorporating	
	BRD63PCC1-B Power Control Card - Secondary	
	RCB-1600-24 Meanwell Power Supply	
<p>Certified with the following options with requirements from EN 54-16:</p> <ul style="list-style-type: none"> <li>7.3 Audible warning</li> <li>7.4 Delays to entering the voice alarm condition</li> <li>7.5 Phased evacuation</li> <li>7.6.2 Manual silencing of the voice alarm condition</li> <li>7.7.2 Manual reset of the voice alarm condition</li> <li>7.8 Output to fire alarm devices</li> <li>7.9 Voice alarm condition output</li> <li>8.3 Indication of faults related to the transmission path to the CIE</li> <li>8.4 Indication of faults related to voice alarm zones</li> <li>9 Disabled condition</li> <li>10 Voice alarm manual control</li> <li>12 Emergency microphone(s)</li> </ul> <p>Notes:</p> <ol style="list-style-type: none"> <li>1. The ASS63WIPM Primary warden intercom phone, ASS63WIPS Radial WIP Handset and ASS63LWIP Loop WIP Handset were connected to the VACIE as ancillary equipment to verify the functionality only.</li> </ol>		

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

  
Signed for BRE Global Ltd

Eman Mattie-Suleiman  
Verifier

14 April 2022  
Date of Issue

14 April 2022  
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 966c

Issue: 01

### Ampac Pty Ltd

Certified Product	Description	LPCB Ref.No.
	2. The OEM3095 EVACU Elite SFP Single Mode Single Fibre Side A (SFP-GE-BX, BIDI, 1000Base, 1310TX/1490nmRX, SMF, 10km, LC simplex, DOM) and OEM3096 EVACU Elite SFP Single Mode Single Fibre Side B (SFP-GE-BX, BIDI, 1000Base, 1490TX/1310nmRX, SMF, 10km, LC simplex, DOM) were functionally tested but were not subjected to the environmental and EMC tests.	
24U EvacU Elite	<p>Floor Mounted Voice Alarm Control and Indicating Equipment (VACIE)</p> <p>Incorporating the following mandatory modules:</p> <p>BRD63PDB1-A Power Distribution Board</p> <p>BRD63ABB1-A Amplifier Backplane Board</p> <p>BRD63CPU1-A Distribution CPU</p> <p>BRD63GUI1-A Graphical User Interface Primary</p> <p>ASS63CPU-NET EvacU Elite CPU Network incorporating:</p> <p>BRD63NIC1-A Network Interface Card</p> <p>ASS63PSU12M Primary Power Supply incorporating</p> <p>BRD63PCC1-A Power Control Card - Primary</p> <p>RCB-1600 -24 Meanwell Power Supply</p> <p>Network SFP Modules</p> <p>OEM3087 IC SFP VDSL Transceiver Module SFP-V5311-L-O "COPPER"</p> <p>OEM3088 IC SFP VDSL Transceiver Module SFP-V5311-L-R "COPPER"</p> <p>Incorporating the following optional modules:</p>	966c/02

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Eman Mattie-Suleiman

Verifier

14 April 2022

Date of Issue

14 April 2022

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.




## Appendix to Certificate No: 966c

Issue: 01

### Ampac Pty Ltd

Certified Product	Description	LPCB Ref.No.
	BRD63ILC1-A Quad Radial Line Card	
	BRD63LILC1-A Dual Loop Line Card	
	BRD63LPA1-A Dual 25W Amplifier	
	BRD63LPA1-B 50W Amplifier	
	BRD63MIC1-A Multi-Purpose Interface Card	
	BRD63MOC1-A Multi-Purpose Output Card	
	BRD63GUI1-B Graphical User Interface Secondary	
	ASS63PSU12S Secondary Power Supply incorporating	
	BRD63PCC1-B Power Control Card - Secondary	
	RCB-1600-24 Meanwell Power Supply	
	Certified with the following options with requirements from EN 54-16:	
	7.3 Audible warning	
	7.4 Delays to entering the voice alarm condition	
	7.5 Phased evacuation	
	7.6.2 Manual silencing of the voice alarm condition	
	7.7.2 Manual reset of the voice alarm condition	
	7.8 Output to fire alarm devices	
	7.9 Voice alarm condition output	
	8.3 Indication of faults related to the transmission path to the CIE	
	8.4 Indication of faults related to voice alarm zones	
	9 Disabled condition	
	10 Voice alarm manual control	
	12 Emergency microphone(s)	

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Eman Mattie-Suleiman

Verifier

14 April 2022

Date of Issue

14 April 2022

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 966c

Issue: 01

### Ampac Pty Ltd

Certified Product	Description	LPCB Ref.No.
	<p>Notes:</p> <ol style="list-style-type: none"> <li>1. The ASS63WIPM Primary warden intercom phone, ASS63WIPS Radial WIP Handset and ASS63LWIP Loop WIP Handset were connected to the VACIE as ancillary equipment to verify the functionality only.</li> <li>2. The OEM3095 EVACU Elite SFP Single Mode Single Fibre Side A (SFP-GE-BX, BIDI, 1000Base, 1310TX/1490nmRX, SMF, 10km, LC simplex, DOM) and OEM3096 EVACU Elite SFP Single Mode Single Fibre Side B (SFP-GE-BX, BIDI, 1000Base, 1490TX/1310nmRX, SMF, 10km, LC simplex, DOM) were functionally tested but were not subjected to the environmental and EMC tests.</li> </ol>	

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Eman Mattie-Suleiman

Verifier

14 April 2022

Date of Issue

14 April 2022

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

